

LA-UR-13-28215

Approved for public release; distribution is unlimited.

Title: Progress Towards a Measurement of the Neutrino Asymmetry in UCN Beta Decay at LANSCE

Author(s): Broussard, Leah J.

Intended for: 2013 Fall Meeting of the APS Division of Nuclear Physics,
2013-10-23/2013-10-26 (Newport News, Virginia, United States)

Issued: 2013-10-24



Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes.


Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Progress Towards a Measurement of the Neutrino Asymmetry in UCN Beta Decay at LANSCE

Leah Broussard for the UCNB Collaboration

Los Alamos National Laboratory

October 25, 2013



Motivation¹

Neutron Decay Distribution


- Observables: effective correlations coefficients

$$\frac{d\Gamma}{dE_e d\Omega_e d\Omega_\nu} \propto w(E_e) \left(1 + \frac{m_e}{E_e} \bar{\mathbf{b}} + \bar{a}(E_e) \frac{\vec{p}_e \cdot \vec{p}_\nu}{E_e E_\nu} + \bar{A}(E_e) \frac{\vec{\sigma}_n \cdot \vec{p}_e}{E_e} + \bar{B}(E_e) \frac{\vec{\sigma}_n \cdot \vec{p}_\nu}{E_\nu} + \dots \right)$$

Testing the Standard Model

- $\mathbf{A}, \mathbf{a} + \tau_n \rightarrow V, A$ interactions
(V_{ud} , RL symmetry, ...)
- $\mathbf{B}, \mathbf{b} \rightarrow S, T$ interactions
(BSM interactions, MSSM, ...)
- Presence of S, T interactions at 10^{-3} indicate BSM physics
- Green = superallowed $0^+ \rightarrow 0^+$ decays, red = \mathbf{b} , blue = \mathbf{B}

10^{-3} level precision:





¹Phys. Rev. D 85, 054512 (2012)




UCNB: Antineutrino Asymmetry B

- Cold neutron beam experiments: $B = 0.9807 \pm 0.0030(0.3\%)$
- 3-body decay: Detect proton & beta in coincidence
- Count $N^{\beta p} = N^{\pm\pm}$ = aligned vs. antialigned with σ_n
- $B_{exp}(E) = \frac{N^{--}(E) - N^{++}(E)}{N^{--}(E) + N^{++}(E)}$
- $C_{exp}(E) = \frac{(N^{++}(E) - N^{-+}(E)) - (N^{+-}(E) - N^{--}(E))}{(N^{++}(E) - N^{-+}(E)) + (N^{+-}(E) - N^{--}(E))}$
- Statistical sensitivity $\frac{\delta B}{B} = \frac{2.9}{\sqrt{N}}$: 1 month to reach 0.1% at 10Hz decay rate




CHALLENGE: Detecting protons and betas

Proton Energy Spectrum



Electron Energy Spectrum



- max $E < 800$ eV
- slow timing: 10 μ s to 1 ms after decay
- Very low energy: detector deadlayer important
- max $E \approx 800$ keV
- fast timing: 10 ns
- problem: backscattering → partial energy signal

System Requirements

Detect Protons

- Bias detector to \sim 30 kV: accelerate protons
- Thin deadlayer to minimize energy loss
- Very low noise required: cool to LN₂ temperatures

Detect Electrons


- Backscattering probability on silicon very high
- Fast timing to resolve backscattered events

Detect Coincidences

- 1 T Magnetic field operation: guide charge particles to detectors
- Proton, electron maximum Larmor radius \approx 4 mm
- Check coincidence in adjacent pixels


Experimental Approach

- Installed in existing UCNA spectrometer
- Protons/Electrons guided by 1 T field to Detectors
- Detectors biased -30kV to accelerate protons
- Entire DAQ biased with detectors



Large area silicon detectors

Junction Side (charged particle entry)



Ohmic Side (Electronics)




- 12 cm diameter active area, 2 mm thick
- Hexagonal array of 128 pixels, each 0.8 cm^2 area
- p-type implant minimizes “deadlayer”
- Metallized Al mesh → improve charge collecting time
- Detect both protons and betas

Proton Detection Demonstrated


TUNL mini proton beam

- TUNL accelerator: proton energies from 10 keV to 60 keV
- 1 mm Si detector cooled to $\sim -15^{\circ}\text{C}$
- <20 keV protons resolvable
- ~ 1.5 keV resolution
- Deadlayer measured using protons: 100.4 ± 2.3 nm
- Deadlayer measured using deuterons: 93.7 ± 16.0 nm

Protons




Deuterons




New Amplifier design

Can we achieve required resolution with compact design?

- FET mounted at detector, separated from rest of amplifier
- Cool detector + FET assembly to LN_2 temperatures:
FET at ~ 100 K \rightarrow avoid thermal noise
- Minimum rise time ~ 5 ns
- Current setup: 9 ch per detector
- On the test bench: energy resolution ~ 2 keV = $2\times$ theoretical noise
- Fully installed in system: energy resolution ~ 2.5 keV, noise pedestal ~ 20 keV
- **Upgrade:** 24 ch system ready for testing next week!





Improved Biased Detector Apparatus



- Full DAQ biased: detector, amps, digitizers
- Fiber from DAQ to computers
- Data taken at up to -30 kV, 1 T field, with working detector



UCN beta decay



- Neutron decay betas already observed (~ 0.1 Hz/pixel)
- **MILESTONE:** protons from neutron decay!
- Protons clearly resolvable, system biased at -28 kV (~ 0.05 Hz/pixel)
- Weak evidence of β -p coincidences (expected rate very low)
- Analysis ongoing...

Current Status

Summary

- We have detected protons from neutron beta decay!
- Substantial improvements to reduce noise implemented
 - Next: eliminate microphonics from LN₂ cooling

Coming soon

- Test 24 channels assembly = more rate
- Confirm proton-electron coincidences
- Install East detector: coincidence criteria = significant background reduction
- Study timing, energy, angle-effects using dedicated sources
- Preliminary goal: 0.1% statistical uncertainty
- Evaluate requirements for 0.01% uncertainty measurement

Collaboration List

Los Alamos National Laboratory

L. Broussard, M. Makela, P. McGaughey, J. Mirabal, C. Morris, J. Ramsey, A. Saunders, S. Sjue, Z. Wang, S. Wilburn, T. Womack

Caltech

C. Feng, B. Filippone

University of California, Los Angelos

K. Hickerson

Indiana University

A. T. Holley, D. J. Salvat, C.-Y. Liu

North Carolina State University

E.B. Dees, J. Hoagland, R. Pattie, B. VornDick, A. Young, B. Zeck

University of Kentucky

M. Brown, S. Hasan, B. Plaster

University of Virginia

A. Bacci, S. Baessler, D. Pocanic

Virginia Tech

D. Bravo, X. Ding, R. B. Vogelaar